



HAVELLS

MFD Capacitors







PRICE LIST: w.e.f. 15th May, 2018



Note: HSN Code mentioned on Items and *GST 18% applicable | *Subject to change as per Govt. notification


MFD Capacitor


HSN Code: 8532


Mfd Rating	Series	Rated Voltage	Cat. No.	Description	Standard Pack	Master Pack	L.P. in ₹	Application	
FAN : Casing - Plastic / Terminal - Copper Wire									
2.25	F	440	QHPCWC5002X2	2.25 MFD/440V/PLWW/28X52	60	600	25	FAN 	
2.5	F	440	QHPCWC5002X5	2.5 MFD/440V/PLWW/28X52	60	600	26.8		
3.15	F	440	QHPCWC5003X1	3.15 MFD/440V/PLWW/28X52	60	600	28.95		
4	F	440	QHPCWC5004X0	4 MFD/440V/PLWW/28X52	60	600	32.35		
Motor Run : Casing - Plastic / Terminal - Lug									
4	N	440	QHPPSS5004X0	4 MFD/440V/PLSFO/25X47	60	600	35	Motor Run  	
5	N	440	QHPPSS5005X0	5 MFD/440V/PLSFO/25X47	60	600	40		
6	N	440	QHPPSS5006X0	6 MFD/440V/PLSFO/30X57	50	300	44		
8	N	440	QHPPSS5008X0	8 MFD/440V/PLSFO/30X57	50	300	46		
10	N	440	QHPPSS5010X0	10 MFD/440V/PLSFO/30X57	50	300	51		
12.5	N	440	QHPPSS5012X5	12.5 MFD/440V/PLSFO/35X57	50	300	57		
15	N	440	QHPPSS5015X0	15 MFD/440V/PLSFO/35X57	50	300	65		
20	N	440	QHPPSS5020X0	20 MFD/440V/PLSFO/35X70	50	300	104		
25	N	440	QHPPDC5025X0	25 MFD/440V/PLDFO/40X70	50	300	121		
36	N	440	QHPPDC5036X0	36 MFD/440V/PLDFO/45X94	25	125	146		
45	N	440	QHPPDC5045X0	45 MFD/440V/PLDFO/45X94	25	125	170		
50	N	440	QHPPDC5050X0	50 MFD/440V/PLDFO/45X94	25	125	177		
60	N	440	QHPPDC5060X0	60 MFD/440V/PLDFO/45X94	25	125	252		
Motor Run : Casing - Plastic / Terminal - Copper Wire									
5	M	440	QHPPWS5005X0	5 MFD/440V/PLWW/30X57	50	300	38		Motor Run 
6	M	440	QHPPWS5006X0	6 MFD/440V/PLWW/30X57	50	300	39		
8	M	440	QHPPWS5008X0	8 MFD/440V/PLWW/30X57	50	300	46		
10	M	440	QHPPWS5010X0	10 MFD/440V/PLWW/30X57	50	300	49		
12.5	M	440	QHPPWS5012X5	12.5 MFD/440V/PLWW/35X57	50	350	56		
15	M	440	QHPPWS5015X0	15 MFD/440V/PLWW/35X57	50	350	63		
20	M	440	QHPPWS5020X0	20 MFD/440V/PLWW/35X70	50	300	83		
22.5	M	440	QHPPWC5022X5	22.5 MFD/440V/PLWW/40X94	50	300	115		
25	M	440	QHPPWC5025X0	25 MFD/440V/PLWW/40X94	25	125	128		
30	M	440	QHPPWC5030X0	30 MFD/440V/PLWW/40X94	25	125	132		
36	M	440	QHPPWC5036X0	36 MFD/440V/PLWW/45X94	25	100	138		
40	M	440	QHPPWC5040X0	40 MFD/440V/PLWW/45X94	25	100	147		
45	M	440	QHPPWC5045X0	45 MFD/440V/PLWW/50X94	25	100	158		
50	M	440	QHPPWC5050X0	50 MFD/440V/PLWW/50X94	25	100	181		
Motor Run : Casing - Plastic / Terminal - Copper Wire (Big Can)									
5	M	440	QHDPWS5005X0	5 MFD/440V/PLWW/35X70	50	300	43		
6	M	440	QHDPWS5006X0	6 MFD/440V/PLWW/35X70	50	300	44		
8	M	440	QHDPWS5008X0	8 MFD/440V/PLWW/35X70	50	300	50		
10	M	440	QHDPWS5010X0	10 MFD/440V/PLWW/35X70	50	300	54		
12.5	M	440	QHDPWS5012X5	12.5 MFD/440V/PLWW/35X70	50	300	60		
15	M	440	QHDPWS5015X0	15 MFD/440V/PLWW/35X70	50	300	67		
20	M	440	QHDPWS5020X0	20 MFD/440V/PLWW/40X94	25	125	111		

MFD Capacitor

HSN Code: 8532

Mfd Rating	Series	Rated Voltage	Cat. No.	Description	Standard Pack	Master Pack	L.P. in ₹	Application
Motor Run : Casing - Aluminum / Terminal - Copper Wire								
36	MAW	440	QHLEWC5036X0	36 MFD/440V/ALEPXWW/45X94	25	100	175	
45	MAW	440	QHLEWC5045X0	45 MFD/440V/ALEPXWW/50X94	25	100	225	
50	MAW	440	QHLEWC5050X0	50 MFD/440V/ALEPXWW/50X94	25	100	243	
60	MAW	440	QHLEWC5060X0	60 MFD/440V/ALEPXWW/50X120	25	25	284	
72	MAW	440	QHLEWC5072X0	72 MFD/440V/ALEPXWW/50X143(S)	30	30	322	

Submersible : Casing - Plastic / Terminal - Copper Wire								
25	S	440	QHPCWS5025X0	25 MFD/440V/PLWW/35X94	25	200	112	
36	S	440	QHPCWS5036X0	36 MFD/440V/PLWW/35X94	25	200	119	
45	S	440	QHPCWS5045X0	45 MFD/440V/PLWW/40X94	25	125	132	
50	S	440	QHPCWS5050X0	50 MFD/440V/PLWW/45X94	25	100	153	
60	S	440	QHPCWS5060X0	60 MFD/440V/PLWW/45X94	25	100	174	
72	S	440	QHPCWS5072X0	72 MFD/440V/PLWW/50X94	25	100	211	

Lighting : Casing - Plastic / Terminal - Copper Wire								
10	L	250	QHJPWS5010X0	10MFD/250V/PLWW/RES/30X57	50	300	47	
10	L	250	QHEPWS5010X0	10MFD/250V/PLWW/RES/30X57(S)	50	300	57	
12	L	250	QHJPWS5012X0	12MFD/250V/PLWW/RES/30X57	50	300	62	
12	L	250	QHEPWS5012X0	12MFD/250V/PLWW/RES/30X57(S)	50	300	68	
20	L	250	QHJPWS5020X0	20MFD/250V/PLWW/RES/35X57	50	350	71	
20	L	250	QHEPWS5020X0	20MFD/250V/PLWW/RES/35X57(S)	50	350	77	
33	L	250	QHJPWS5033X0	33MFD/250V/PLWW/RES/35X70	50	300	110	
33	L	250	QHEPWS5033X0	33MFD/250V/PLWW/RES/35X70(S)	50	300	114	
42	L	250	QHJPWS5042X0	42MFD/250V/PLWW/RES/40X70	25	150	133	
42	L	250	QHEPWS5042X0	42MFD/250V/PLWW/RES/40X70(S)	25	150	137	

Motor Start : Casing - Plastic / Terminal - Copper Wire								
40/60 (30)	G	250	QHGPWS5030X0	40-60 Start Cap./250V/PLWW/35X70	50	300	90	
60/80 (45)	G	250	QHGPWS5045X0	60-80 Start Cap./250V/PLWW/35X94	25	200	127	
80/100 (60)	G	250	QHGPWS5060X0	80-100 Start Cap./250V/PLWW/40X94	25	125	154	
100/120 (75)	G	250	QHGPWS5075X0	100-120 Start Cap./250V/PLWW/40X94	25	125	205	
120/150 (90)	G	250	QHGPWS5090X0	120-150 Start Cap./250V/PLWW/45X94	25	100	258	
150/200 (105)	G	250	QHGPWS5105X0	150-200 Start Cap./250V/PLWW/50X94	25	100	273	
200/250 (120)	G	250	QHGPWS5120X0	200-250 Start Cap./250V/PLWW/50X94	25	100	300	

MFD Capacitor

HSN Code: 8532

Mfd Rating	Series	Rated Voltage	Cat. No.	Description	Standard Pack	Master Pack	L.P. in ₹	Application
Air Conditioner : Casing - Aluminum / Terminal - Lug (Quadraple Fast On)								
25/2.5	I	440	QHLIDC525002	25/2.5 MFD/440V/ALQFO/50X105	25	25	212	Air Conditioner
25/4.0	I	440	QHLIDC525004	25/4 MFD/440V/ALQFO/50X105	25	25	218	
25/6.0	I	440	QHLIDC525006	25/6 MFD/440V/ALQFO/50X105	25	25	222	
30/2.5	I	440	QHLIDC530002	30/2.5 MFD/440V/ALQFO/50X105	25	25	223	
30/4.0	I	440	QHLIDC530004	30/4 MFD/440V/ALQFO/50X105	25	25	231	
30/6.0	I	440	QHLIDC530006	30/6 MFD/440V/ALQFO/50X105	25	25	234	
36/2.5	I	440	QHLIDC536002	36/2.5 MFD/440V/ALQFO/50X105	25	25	238	
36/4.0	I	440	QHLIDC536004	36/4 MFD/440V/ALQFO/50X105	25	25	245	
36/6.0	I	440	QHLIDC536006	36/6 MFD/440V/ALQFO/50X105	25	25	254	
40/2.5	I	440	QHLIDC540002	40/2.5 MFD/440V/ALQFO/50X105	25	25	254	
40/4.0	I	440	QHLIDC540004	40/4 MFD/440V/ALQFO/50X105	25	25	256	
40/6.0	I	440	QHLIDC540006	40/6 MFD/440V/ALQFO/50X105	25	25	261	
45/2.5	I	440	QHLIDC545002	45/2.5 MFD/440V/ALQFO/50X105	25	25	263	
45/4.0	I	440	QHLIDC545004	45/4 MFD/440V/ALQFO/50X105	25	25	270	
45/6.0	I	440	QHLIDC545006	45/6 MFD/440V/ALQFO/50X105	25	25	275	
50/2.5	I	440	QHLIDC550002	50/2.5 MFD/440V/ALQFO/50X120	25	25	290	
50/4.0	I	440	QHLIDC550004	50/4 MFD/440V/ALQFO/50X120	25	25	304	
50/6.0	I	440	QHLIDC550006	50/6 MFD/440V/ALQFO/50X120	25	25	309	
55/2.5	I	440	QHLIDC555002	55/2.5 MFD/440V/ALQFO/50X120	25	25	311	
55/4.0	I	440	QHLIDC555004	55/4 MFD/440V/ALQFO/50X120	25	25	315	
55/6.0	I	440	QHLIDC555006	55/6 MFD/440V/ALQFO/50X120	25	25	318	
60/2.5	I	440	QHLIDC560002	60/2.5 MFD/440V/ALQFO/50X120	25	25	320	
60/4.0	I	440	QHLIDC560004	60/4 MFD/440V/ALQFO/50X120	25	25	331	
60/6.0	I	440	QHLIDC560006	60/6 MFD/440V/ALQFO/50X120	25	25	334	
60/10.0	I	440	QHLIDC560010	60/10 MFD/440V/ALQFO/50X120	25	25	349	




Abbreviation: MFD - Microfarad, PL - Plastic Casing, AL - Aluminium Casing, WW - With Wire, RES - Resistor, SFO - Single Faston, DFO - Double Faston
QFO - Quadraple Faston, EPX - Epoxy top, (S) - With stud

Important Information:

Some parts of this publication contain statements about the suitability to our products for certain areas of application. These statements are based on our knowledge of typical requirements that are often placed on our products. We expressly point out that these statements cannot be regarded as binding statement about the suitability of our products for a particular customer application. It is incumbent on the customer to check and decide whether the product is suitable for use in a particular application. This publication is only a brief product survey which may be changed from time to time. Our products are described in detail in our data sheets. The important notes (www.havells.com) and the product specific warnings and cautions must be observed. All releveant information is available through our sales offices.

General Terms and Conditions:

- Prices are in Indian ₹.
- All prices are on List Price (LP) exclusive of all taxes.
- Goods are despatched by us on Purchaser's risk. All claims for loss, damage or shortage will be filed by the Purchasers directly with the carriers.
- Disputes, if any are subject to Delhi jurisdiction only.
- This Price List supersedes all our previous Price Lists.
- Prices are subject to change without prior notice.
- Company reserves the right to issue amendments in price list, which may arise due to any error.



Scan the QR Code
to download
Havells mCatalogue

Distributor / Dealer :

Havells India Ltd.

QRG Towers, 2D, Sector -126, Expressway, Noida - 201 304 (UP), Ph. +91-120-3331000,
E-mail: marketing@havells.com, www.havells.com
Consumer Care No.: 1800 11 0303, 1800 103 1313 (All Connections), 011-4166 0303 (Landline)
Join us on Facebook at www.facebook.com/havells and share your ways to save the planet!
(CIN) - L31900DL1983PLC016304.

